



ELECTRIC FIRES & STOVES









THE GAZCO PEDIGREE



When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in realistic electric flame effects. We also offer a superb range of electric fire baskets, each one handcrafted using traditional materials such as brass, steel, chrome and cast iron.

Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group who offer a prestigious product range which includes everything from traditional to the ultra-contemporary in a wide array of styles and sizes, so whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Both Gazco and Stovax offer solid fuel and gas versions of several of the fires and stoves in this brochure. Full details of the Stovax Group's range of products can be found at www.stovax.com

Gazco is an ISO9001 accredited company. Our rigorous quality control system ensures that all our appliances comply with British Safety Standards as well as stringent European regulations. All fires and stoves in the brochure are CE marked [†]. This means they have been independently tested to exacting European standards.



Warranty Information

Your Gazco retailer will provide you with a Two Year Warranty for your new electric stove or fire. The guarantee will only be valid during the second year, to the extent permitted by law, if the appliance has been regularly maintained by the customer as detailed in the maintenance section of the Installation and User instructions. In addition, there is a Five Year Warranty on castings* which form the main carcass of cast iron stoves and the cast iron door in the case of steel stoves. Please note, these warranties exclude certain consumable parts. Full warranty details are available at www.gazco.com.





^{*} Castings refers to the main carcass of cast iron stoves and the cast iron door in the case of steel stoves. This warranty excludes naturally wearing cast parts.

[†] Does not include Fire Baskets







EXPERT RETAILER NETWORK

We take great care to ensure that our stoves, fires and fire baskets are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational, discuss your individual requirements both technical, such as sizing the heat output to your room, and design to ensure that you select the most appropriate product for your home. These retailers will also be able to advise on, or assist with, the installation process as well as providing any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

WALL MOUNTED FIRES

Studio Electric Sizes
Studio Electric Glass8 - 9
Studio Electric Verve10 - 11
Studio Verve Colour Options12 - 13
Riva 67 Electric



Our Wall Mounted Electric Fires can be simply hung on the wall and plugged in to give instant heat at the flick of a switch. Alternatively, you can simply enjoy the warming glow of our unique LED Flame-Effect Technology without any heat at all.

QUIET OPERATION

Studio Electric fires have been developed uniquely with the fans providing both the heat output and exclusive flame-effect simultaneously.

INSET FIRES

Electric Inset Fire Sizes	16	-	17
Studio Electric Inset	18	-	19
Riva2 Electric	20	-	21
Riva2 Stone Mantels	22	-	23



Comprising three landscape sizes alongside two virtually square options, Gazco's Inset Electric Fires offer a thoroughly modern centerpiece for interiors of all proportions. The Riva2 Electric Fires can be paired with a Natural Stone Mantel to create a timeless and elegant fireplace.

FRAMELESS DESIGN

The Riva2 and Studio Electric Inset models have a clean and simple frameless design for an unmistakably contemporary and minimalist look. The hole-in-the-wall styling blends seamlessly into all manner of decor, and the absence of a frame truly emphasises the enchanting flame-effect to the full.

16" FIRES & FIRE BASKETS

Logic Electric Box Profil	24	-	25
Logic Electric Progress	26	-	27
Electric Fire Baskets	28	_	29



Our 16" Electric Fires combine the latest, modern technology with classic styling. Fully adjustable from your remote control, you can choose between two heat output levels, or even turn off the heat completely and simply enjoy the stunning flicker of our unique flame-effect technology.

FUEL EFFECT

Logic Electrics are fitted with a highly realistic, hand painted log effect fuel bed, giving you all the convenience of an electric fire but with the added ambiance of a real log fire.

STOVES

Marlborough Electric	30 -	31
Stockton Electric	32 -	33
Huntingdon 30 Electric	34 -	35
Clarendon Electric	36 -	37
Ashdon Electric	38 -	39
Steel Manhattan Electric	40 -	41



Our Electric Stoves offer a highly realistic alternative to their woodburning equivalents. The expertly hand-painted logs combine with a unique flame-effect to create a truly authentic look. Available in modern and traditional models.

VeriFlame™ TECHNOLOGY

Gazco's VeriFlame™ Technology enables you to switch between heat settings and even adjust the brightness of the flames to create the exact atmosphere required, from the comfort of your favourite armchair, using the remote control.



STUDIO ELECTRIC SIZES

The outstanding Studio Electric range is available in a choice of three portrait and landscape sizes. With a choice of contemporary styles and simple 'hang on the wall' installation, these advanced technology electric fires can add stylish warmth to almost any room in your home with the ultimate ease. All Studio Electric fires benefit from remote operation and feature an additional thermostatic control.

Studio 1

The highly efficient Studio 1 is the most compact landscape model in the range, making it the perfect choice when you are looking for a dramatic focal point in a smaller interior. As with all Gazco Electric fires, you can tailor the atmosphere to suit your mood or occasion. On the Studio 1 you can vary the heat output between 0.9kW or 1.8kW, and you even have the option to enjoy the effect of the fire without the heat at all.



Studio 2

For effortless style and maximum impact, opt for a Studio 2 Electric fire. The larger dimensions make an eye-catching focal point on larger walls and accentuate the highly realistic LED flame effect. The Studio's remote provides complete control over the heat and flame settings from your fingertips. With a variable heat output between 0.9kW or 1.8kW, and the option of running just the flame effect by itself, the Studio 2 offers complete versatility for your home.



Studio 22

The Studio 22 adds instant presence and vertical definition to any modern interior. With its unusual yet highly attractive portrait form, a Studio 22 Electric is perfect for the contemporary living room but equally suitable for creating a talking point in the dining room or making a designer statement in the study or office. On milder evenings, just sit back and enjoy the flickering flames without the heat or bring some cosy warmth to your room with a variable 0.45kW - 0.90kW heat output.



Studio Electric sizes shown with Verve frame

STUDIO ELECTRIC GLASS







Sleek, chic and contemporary, the Studio Electric Glass offers a distinctive focal point that will complement any stylish interior. Available in three sizes, there's a Studio Electric Glass to offer instant striking impact, whatever your room size.

Easy to fit, this designer fire can simply be hung on the wall and its shallow depth means it will only protrude minimally into your room.

A stunning flame-effect with 4 levels of brightness is available at the touch of a button on your remote control. You can alter the heat output to suit your requirements, or you can even enjoy the stunning LED flame-effects with no heat at all!

Gazco's range of Studio Electric Fires has also been uniquely developed so that the fan operation controls both the heat output and flame-effect simultaneously, offering not only product efficiency, but, also one of the quietest fan-assisted electric fires available.

Finish

Black Glass

Heat Output

Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW

Efficiency

99%

Frame Dimensions w x h x d (mm)

Studio 1: 1120 x 675 x 118 Studio 2: 1320 x 675 x 118 Studio 22: 675 x 1320 x 118



Remote

For more detailed information please see page 42.





STUDIO ELECTRIC VERVE







The stylish Studio Electric Verve has a beautifully curved frame in a choice of five stylish finishes, making a striking designer statement to be appreciated from all angles. Whether it's a luxurious living room or a stylish study, the hang-on-the-wall Studio Electric Verve is incredibly versatile with two landscape sizes and a portrait option.

This designer fire heats your room on command from your remote control. With two adjustable heat settings and four flame brightness levels, you can create the perfect atmosphere for every situation. Simply plug in your Studio Electric Verve and instantly enjoy the inviting glow created by our unique LED flame-effect technology.

The Studio Electric Verve comes with a removable White Stone fuel bed effect, so that you can select a minimalist contemporary effect without the fuel bed or a more natural look with the White Stones.

Finish

Graphite
Metallic Red*
Metallic Blue*
Metallic Bronze*
Ivory*

Heat Output

Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW

Fuel Bed Effect

White Stones

Frame Dimensions w x h x d (mm)

Studio 1: 1320 x 640 x 155 Studio 2: 1520 x 640 x 160 Studio 22: 676 x 1320 x 156

Efficiency

99%



Remote Control

Also see picture of Studio Electric 22 Verve on page 47.

For more detailed information please see page 42.

* For more information on colour options please see overleaf



STUDIO VERVE COLOUR OPTIONS







For those that want to add a splash of colour into their living space, Gazco have introduced a range of new and vibrant colour options specifically designed to complement the stylish, contemporary form of the Studio Electric Verve.

Whether to liven your living room, brighten your bedroom or even highlight your hallway, the four striking colours are sure to catch the eye and bring the wow factor to your interior space.

The colours shown on this page are available for all three Studio Electric Verve sizes which are additionally shown on pages 10 -11.

There is a choice of 4 eye-catching colours to choose from: Metallic Red, Metallic Blue, Metallic Bronze and Ivory. Please use the product code for the Studio Electric Verve of your choice, with the following suffix for your chosen colour:

Metallic Red (RD)
 Metallic Blue (BL)
 Metallic Bronze (BZ)
 Ivory (IV)

For example: Studio Electric 2 Verve in Metallic Blue: 223-427BL

Finish

Graphite
Metallic Red
Metallic Blue
Metallic Bronze
Ivory

Heat Output

Studio 1: 0.9kW - 1.8kW Studio 2: 0.9kW - 1.8kW Studio 22: 0.45kW - 0.9kW

Fuel Bed Effect

White Stones

W 1.8kW CL II. 4 4330 C40 4EE

Studio 1: 1320 x 640 x 155 Studio 2: 1520 x 640 x 160 Studio 22: 676 x 1320 x 156

Frame Dimensions w x h x d (mm)

Efficiency

99%



Remot Contro

For more detailed information please see page 42.

RIVA 67 ELECTRIC









This impressive log-effect fire provides a highly realistic flickering flame-effect and an instant warming glow, all from your remote control. The heat is instant and adjustable between two settings, or you can simply relax and enjoy the flames without any heat at all.

There are five different designs to choose from which can be slotted into a preconstructed hole, meaning they are recessed into the wall and offer a more streamlined look. Alternatively you can use the optional wall mounting box to hang your Electric Riva 67 on the wall. To enhance this effect further you could choose the Slimline Riva View which protrudes only 142mm when wall mounted or just 35mm when recessed into a wall.

Colour Choice

Graphite or Iridium (Designio, Esprit & View) Black Glass (Vetro) Brushed Stainless Steel (Avanti)

Fuel Bed Log effect

Heat Output 1kW - 2kW

Efficiency 99%

Dimensions* w x h (mm)

Designio: 775 x 603 Esprit: 925 x 684 View: 950 x 590 Vetro: 1052 x 650 Avanti: 825 x 699



*Overall visible dimensions upon installation.

For more detailed information including firebox dimensions please see page 43.





ELECTRIC INSET FIRE SIZES

Studio Electric Inset 80

It's hard not to warm to the compact, landscape form of the Studio Inset 80. This fire provides all the dramatic presence of a cassette fire, with the proportions to suit small to medium rooms. Created using the latest technology, the Studio Electric Inset 80 has two heat settings from 1 - 2kW and variable LED flame brightness settings. All of its features are easily controlled from the comfort of your sofa, using the remote control.



Studio Electric Inset 105

The longer lines of the Studio Inset 105 make a stylish designer statement in any interior. The Studio Inset 105 has two heat settings, from 1–2kW and benefits from a beautiful LED flame effect, all controlled by the easy to use remote. With no need for a chimney, the Gazco Electric fire ranges can be used to add contemporary style to almost any room in your house.



Studio Electric Inset 150

The Studio Electric Inset 150 is the biggest landscape fire in the range and therefore more suited to larger interiors. The 1-2kW heat settings, LED flame-effect and variable brightness levels are all controlled directly from your remote so you can just sit back and appreciate this stunning fire with complete ease. With its grand proportions and stunning frameless design, the Studio Electric Inset 150 makes a truly impressive statement.



Riva2 Electric 55

The Riva2 Electric 55 has a striking square design and a flame visual to match. Designed with a stunning LED flame-effect, variable brightness and 0.5kW - 1.0kW heat settings, the Riva2 Electric 55 blends form and function, controlling it all with the remote included.



Riva2 Electric 70

The Riva2 Electric 70 has a sleek and contemporary virtually square format to extend your possibilities. The frameless design emphasises the highly realistic flame effect which has variable brightness levels.







STUDIO ELECTRIC INSET







The Studio Electric Inset's frameless design creates a strikingly contemporary and minimalist look. Available in three different sizes and installed completely flush with the wall, the Studio Electric Inset has the versatility to complement a wide range of stylish room designs.

Relax in your favourite arm chair and enjoy heat at the touch of a button. Designed for ultimate ease of use, you can control everything from the remote control included.

On warmer evenings you can enjoy the fire without any additional warmth as the LED flame effect can be cleverly operated independently of the heater.

Heat Output 1kW - 2kW

Efficiency 99%

Dimensions w x h (mm)

Studio Electric Inset 80: 800 x 380
Studio Electric Inset 105: 1050 x 380
Studio Electric Inset 150: 1500 x 380



For more detailed information please see page 44.

RIVA2 ELECTRIC







The Riva2 Electric has two square or virtually square designs but with the same clean, contemporary lines as the Studio Inset. Whatever your choice you can enjoy a beautiful flame picture through a large glass window - the ultimate modern centrepiece.

Featuring one touch heat, two adjustable heat settings and variable brightness, the Riva2 is so versatile that you can create a bespoke atmosphere for any occasion. Alternatively, you can switch off the heat and simply enjoy the authentic atmosphere created by our unique LED flame-effect technology.

You can further increase your design possibilities by pairing your Riva2 Electric 70 with a selection of timeless Riva2 Natural Stone Mantels as shown on pages 22 - 23.

Heat Output

Riva2 Electric 55: 0.5kW - 1kW Riva2 Electric 70: 1kW - 2kW

Efficiency

99%

Dimensions w x h (mm)

Riva2 Electric 55: 550 x 550 Riva2 Electric 70: 700 x 650



Remote Control

For more detailed information please see page 44.



RIVA2 ELECTRIC STONE MANTELS











Claremont

Cavendish Bolection

Georgian Roundel

Grafton

Sandringham

For sheer elegance and ultimate sophistication, you can combine your Riva2 Electric 70 fire with one of Gazco's beautiful natural stone mantels. There are six designs to suit both traditional and modern decorative styles, each available in either the clean look of antique white marble or the gentle warmth of natural limestone.

A Riva2 Electric stone mantel provides you with the highest levels of aesthetic and tactile appeal from the hand-finished craftsmanship that goes into each and every one.

Mantel Styles	Dimensions w x h (mm) [†]
Claremont	1555 x 1143
Cavendish Bolection	1460 x 1320
Georgian Roundel	1460 x 1082
Grafton	1415 x 1165
Sandringham	1550 x 1220
Victorian Corbel	1525 x 1170

Mantel Stone Choice

Antique White Marble Limestone

Heat Output

1kW - 2kW

Fire Dimensions w x h (mm)

700 x 650

Efficiency

99%



lemote Control

^{*} Our stone mantels are crafted from high quality, natural material and therefore will contain naturally occurring veining, subtle tonal differences and indeed, small fossils that may be found in the limestone or marble.

[†]Overall visible dimensions upon installation. For more detailed information, including firebox dimensions please see page 45





LOGIC ELECTRIC BOX PROFIL







The Logic Electric combines understated elegance with state-of-the-art modern technology. Designed to fit into a standard fireplace opening or a 3" rebated mantel with slip, it offers easy installation, ease of use and a fantastic log effect flame visual. Additionally, by using the optional spacer frame, your Logic Electric fire can even be fitted directly onto a flat wall.

The Logic Electric Box Profil takes its design origins from the Arts movement in the early twentieth century and the evocative style has influenced this contemporary fire with a choice of eleven frame and fret combinations.

A choice of 2 heat settings and 4 levels of flame brightness are all controlled from the comfort of your sofa using the remote. You can even sit back and simply enjoy the warm ambiance created by Gazco's highly realistic flame-effect technology with no heat at all. All Logic Electric fires also benefit from an additional thermostatic control.

Colour Combinations

Frame Choice		Fret Choice
Matt Black		Matt Black
		Brass effect
		Polished effect
		Highlight Polished
Brass effect	{	Brass effect
D. II. J. Co. J.		Matt Black
Polished Steel effect	<	Polished effect
ellect		Highlight Polished
Brushed Steel effect		Matt Black
	{	Polished effect
		Highlight Polished

For more detailed information please see page 43.

Fuel Bed

Log effect

Heat Output

1kW - 2kW

Dimensions w x h (mm)

511 x 609

Efficiency

99%



LOGIC ELECTRIC PROGRESS







Smooth curves and an exquisite Iridium finish are the hallmarks of the Logic Electric Progress. This modern technology fire offers a choice of 2 heat settings and 4 levels of flame brightness that are all controlled from the remote control. On milder evenings you can even enjoy the ambiance without the warmth, as Gazco's highly realistic flame effect can run independently to the heater. The Logic Electric also benefits from an additional thermostatic control.

Designed to fit into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame, the Logic Electric offers easy installation, ease of use and a fantastic log effect flame visual.

Colour Iridium

Fuel Bed Log effect

Heat Output 1kW - 2kW Dimensions w x h (mm)

520 x 602

Efficiency 99%



For more detailed information please see page 43.



FIRE BASKETS

Gazco offer a beautiful range of high quality, traditional and contemporary electric fire baskets, each one handcrafted using traditional materials such as brass, steel, chrome and cast iron. Furthermore, all fire baskets feature the warming glow of a realistic coal effect fuel bed and the benefits of a powerful thermostatically controlled fan heater with 1-2kW heat settings and the option to enjoy the glow without the heat. For further information, please contact your nearest retailer or view the full range at www.gazco.com.



Ascot - Straight front in a choice of brass or polished iron/steel.

735 x 355 x 405mm (wxhxd)



Melbury - Choice of straight or bowed front in brass or polished iron/steel.

740 x 645 x 405mm (wxhxd)



Portland - Choice of brass or polished iron/steel.

520 x 305 x 308mm (wxhxd)



Portland Extended - Choice of brass or polished iron/steel.

735 x 305 x 308mm (w x h x d)



Halifax - Choice of brass or polished iron/steel

520 x 455 x 280mm (wxhxd)



Spanish - Black or highlight polished cast iron with a choice of 4 cast iron legs, 2 brass + 2 cast iron legs or 4 brass legs.

S: 447 x 235 x 318mm (wxhxd) L: 525 x 235 x 369mm (wxhxd)



Ludlow - Bowed front in brass.

 $560 \times 645 \times 280 \text{mm} (w \times h \times d)$



Audley - Choice of brass or polished iron/steel

520 x 300 x 280mm (wxhxd)



Kendal - Straight or bowed front in brass

900 x 660 x 430mm (wxhxd)



Montrose - Straight or bowed front in brass

740 x 580 x 405mm (wxhxd)



Cheltenham - Available in brass.

535 x 485 x 305mm (wxhxd)





Amhurst - Black cast iron or polished cast iron.

M: 520 x 330 x 280mm (wxhxd)



Art Deco - Choice of black cast iron or cast iron with polished iron/steel.

M: 520 x 305 x 280mm (wxhxd)



Milan - Straight front in polished cast iron.

M: 727 x 305 x 378mm (wxhxd)



Stratford - Straight front in choice of brass or polished iron/steel.

520 x 330 x 280mm (wxhxd)



Rochester - Straight front in choice of brass or polished iron/steel.

520 x 415 x 280mm (wxhxd)



Harlech - Straight front in choice of brass or polished iron/steel.

520 x 485 x 280mm (wxhxd)

MARLBOROUGH ELECTRIC







The Marlborough Electric offers you an amazingly realistic log-effect fire at the touch of a button and in two different sizes. At its heart is Gazco's unique VeriFlame™ technology which allows you to choose from two heat settings that can both be thermostatically controlled*; three brightness levels, plus the additional option for a blue flame-effect on the high setting so you can match your mood exactly.

You can even turn off the heat and just watch the stunning flame-effects.

Gazco Electric Stoves simply plug into a 13amp socket, so are particularly suited for conservatories, bedrooms or home study, in fact any room without a chimney.

Colour Matt Black Fuel Bed Log effect

Heat Output 1kW - 2kW Size w x h x d (mm)

Small: 410 x 553 x 360 Medium: 590 x 583 x 410

Efficiency 99%



CONTRO

For more detailed information please see page 46.

*The thermostat is controlled manually from the stove



STOCKTON ELECTRIC







With a stunning cast iron door and heavy gauge steel body, the Stockton Electric combines the classic looks of a woodburning stove with the ease and convenience of Gazco's unique VeriFlame™ technology.

This means you can enjoy two heat settings that can be thermostatically controlled*, three flame intensity levels, plus the additional option for a blue flame effect on the high setting to create a remarkably authentic log-effect fire - a superb focal point for any room. The fan heater is discreetly hidden beneath the stove and can be adjusted by remote control.

You can choose from the Stockton Small, Stockton 5 or the Stockton Medium.

Colour Matt Black Fuel Bed Log effect

Heat Output 1kW - 2kW Size w x h x d (mm)

Small: 422 x 525 x 340 5: 481 x 544 x 337 Medium: 579 x 618 x 411

Efficiency 99%



Remote Control

For more detailed information please see page 46.

*The thermostat is controlled manually from the stove





HUNTINGDON 30 ELECTRIC







The Electric version of our ever popular Huntingdon 30 gas stove has exquisitely fine castings and a beautiful tracery door that are brought alive by our VeriFlame™ technology. The Huntingdon 30 Electric provides you with two heat settings, three flame brightness levels, plus the additional option for a blue flame effect on the high setting.

Your choice of fire is then set against the highly realistic fuel bed and individually hand painted 'logs', mirroring the look of a real woodburning stove.

Operation of the Huntingdon 30 Electric stove is simple. The remote gives you full control* of the heat and 'flame' settings from the comfort of your armchair. Alternatively, you can even switch off the heat and just enjoy the ambiance created by the flickering flame-effect.

Colour Choice

Paint Finishes Matt Black

Enamel Finishes Laurel Green Midnight Blue Ivory

Fuel Bed Log effect

Matt Ivory

Heat Output 1kW - 2kW

Size w x h x d (mm)

560 x 592 x 447

Efficiency 99%



For more detailed information please see page 46.

^{*}The thermostat is controlled manually from the stove

$C\ L\ A\ R\ E\ N\ D\ O\ N \quad E\ L\ E\ C\ T\ R\ I\ C$







Authentic styling and elegant castings give the small and medium Clarendon Electric all the character of a woodburning stove with the modern convenience of electricity. It's easy to use, simply plug in the stove and with one touch of a button you will be experiencing instant heat with the enchanting flame-effects of our VeriFlame™ technology.

The heater is discreetly located under the stove but, as all the functions on this electric stove can be operated from the remote control; there is no stooping or crouching.

Everything except the thermostat can be controlled* from the comfort of your favourite chair!

Colour Choice

Paint Finishes

Matt Black
Matt Ivory (small only)

Enamel Finishes Laurel Green Midnight Blue

Fuel Bed Log effect

Heat Output 1kW - 2kW

Size w x h x d (mm)

Small: 431 x 589 x 342 Medium: 654 x 652 x 427

Efficiency 99%



Remote

For more detailed information please see page 46.

*The thermostat is controlled manually from the stove





A S H D O N E L E C T R I C







Gazco's popular Electric Ashdon stove features our unique VeriFlame™ technology, offering a superbly realistic log-effect fire with three different brightness intensities, with an additional option for a blue flame effect on the high setting plus two heat settings that can both be thermostatically controlled. Quite simply, it means that you can enjoy all the ambience of a genuine cast iron wood burner with the modern convenience of electric.

From the hand painted log fuel bed to the lustrous enamel and painted finishes, this electric stove exudes style and quality to make an impressive focal point in any home.

Operation is simple. The remote control allows for easy adjustment between two heat settings* and, on warmer evenings, you can even turn off the heat, relaxing in the cosy atmosphere created by the stunning flame-effect but without the additional heat.

Colour Choice	Fuel Bed	Size w x h x d (mm)
Paint Finishes	Log effect	654 x 652 x 502
Matt Black		
Matt Ivory		
Enamel Finishes	Heat Output	Efficiency
Laurel Green	1kW - 2kW	99%
Midnight Blue		
lvory		

For more detailed information please see page 46. *The thermostat is controlled manually from the stove



STEEL MANHATTAN ELECTRIC







Contemporary, convenient and comforting, the small and medium Steel

Manhattan Electric provide clean lines and contemporary styling with a highly
realistic log-effect fire and up to 2kW of heat, all at the press of a button on
your remote control.*

Both versions benefit from our unique VeriFlame™ technology which offers you three different glow intensities and even an additional blue flame option on the high setting.

Finish Choice

Anthracite
Brushed Stainless Steel

Heat Output

Fuel Bed

Log effect

1 kW - 2kW

Size w x h x d (mm)

Small: 540 x 633 x 360 Medium: 709 x 683 x 425

Efficiency 99%




Remote Control

For more detailed information please see page 46.


*The thermostat is controlled manually from the stove

STUDIO ELECTRIC


STUDIO ELECTRIC 1 & 2




STUDIO ELECTRIC 22



STUDIO ELECTRIC 1 & 2 FRAME (VERVE & GLASS)



STUDIO ELECTRIC 22 FRAME (VERVE & GLASS)



Studio Electric Fire Dimensions (mm)

Studio 1 Studio 2 Studio 22

Α	822	1045	492
В	549	549	1062
С	416	416	929
D	98	98	98

Fire Information

Product Code	Model	Frame	Finish	Fuel effect	Heat Output	Efficiency
STUDIO 1						
223-202	Studio 1	Verve	Graphite	White Stones	0.90 - 1.80kW	99%
223-094	Studio 1	Glass	Black Glass	-	0.90 - 1.80kW	99%
STUDIO 2						
223-427	Studio 2	Verve	Graphite	White Stones	0.90 - 1.80kW	99%
223-335	Studio 2	Glass	Black Glass	-	0.90 - 1.80kW	99%
STUDIO 22						
223-710	Studio 22	Verve	Graphite	White Stones	0.45 - 0.90kW	99%
223-557	Studio 22	Glace	Black Glace		0.45 - 0.90kW	99%

For details on how to order a Studio Electric Verve in other colour options please see page 13.

Glass Frame Dimensions (mm)

Verve Frame Dimensions (mm)

Studio 1 Studio 2 Studio 22

	Studio 1	Studio 2	Studio 22
Α	1120	1320	675
В	675	675	1320
С	118	118	118

Α	1320	1520	676
В	640	640	1320
С	155	160	156

RIVA 67 ELECTRIC

Fire Information

Product					Opei	ning Size	(mm)
Code	Description	Fuel Effect	Heat Output	Efficiency	w	h	d
8590SLELR	Riva 67	Logs	2.00kW	99%	665	535	105

Riva 67 Electric Accessory


8688SL Wall mounting box for Slimline Electric Cassette 8590SLELR*


^{*}Esprit and Vetro fires cannot be used in conjunction with wall mounting box.

Frame Information Frame Size (mm) Product Code Description Frame Finish 8634GP Designio frame Graphite 775 603 68 Designio frame 8634IR Iridium 775 68 8684GP Esprit frame Graphite 925 684 70 8684IR Esprit frame Iridium 70 925 684 8662BKEL Vetro frame Black Glass 1052 650 92 8735GP View frame Graphite 950 590 35 8735IR View frame Iridium 950 590 35 8641BS Avanti frame Stainless Steel/Black 825 699 140


LOGIC ELECTRIC

PROGRESS FRAME





BOX PROFIL FRAME



Logic Electric Dimensions (mm)	А	В	С	D	
Logic Flectric Progress	520	602	74	160	

Logic Electric Progress	520	602	74	160	561	403
Logic Electric Box Profil	510	609	74	163	561	403
Logic Electric Progress with Spacer Frame	520	602	80	166	561	403
Logic Electric Box Profil with Spacer Frame	510	609	80	169	561	403

Product Code	Frame	Front Finish	Fuel effect	Heat Output	Efficiency
Progress F	ire Information				
201-809	Progress - Iridum	-	Logs	1.00 - 2.00kW	99%

Box Profil Fire Information

201-012	Matt Black	Matt Black	Logs	1.00 - 2.00kW	99%
201-059	Matt Black	Brass Effect	Logs	1.00 - 2.00kW	99%
201-439	Matt Black	Polished Effect	Logs	1.00 - 2.00kW	99%
201-163	Matt Black	Highlight Polished	Logs	1.00 - 2.00kW	99%
201-514	Brass Effect	Brass Effect	Logs	1.00 - 2.00kW	99%
201-477	Polished Steel Effect	Matt Black	Logs	1.00 - 2.00kW	99%
201-729	Polished Steel Effect	Polished Effect	Logs	1.00 - 2.00kW	99%
201-843	Polished Steel Effect	Highlight Polished	Logs	1.00 - 2.00kW	99%
201-109	Brushed Steel Effect	Matt Black	Logs	1.00 - 2.00kW	99%
201-001	Brushed Steel Effect	Polished Effect	Logs	1.00 - 2.00kW	99%
201-213	Brushed Steel Effect	Highlight Polished	Logs	1.00 - 2.00kW	99%


Logic Electric Optional Spacer Frame[†]

901-815	Logic Electric Box Profil Spacer Frame - Black
901-860	Logic Electric Progress Spacer Frame - Graphite


[†]Logic Electric Spacer Frames are for use when installing onto a flat wall.

INSET FIRES


STUDIO ELECTRIC INSET 80




STUDIO ELECTRIC INSET 105




STUDIO ELECTRIC INSET 150



RIVA2 ELECTRIC 55



RIVA2 ELECTRIC 70



Inset Fires Dimensions (mm)

	Α	В	С	D	E	F	G	Н
Studio Inset 150	1500	1877	380	622	152	167	585	1834
Studio Inset 105	1050	1460	380	624	152	167	585	1417
Studio Inset 80	800	1145	380	622	152	167	585	1102
Riva2 70	700	1045	650	902	152	167	865	1002
Riva2 55	550	895	550	792	152	167	755	852

Fire Information

223-044 Studio Electric Inset 150 1.00 - 2.00kW 99% 223-136 Studio Electric Inset 105 1.00 - 2.00kW 99% 223-378 Studio Electric Inset 80 1.00 - 2.00kW 99% 234-209 Riva 2 Electric 70 1.00 - 2.00kW 99%
223-378 Studio Electric Inset 80 1.00 - 2.00kW 99%
234-209 Riva 2 Electric 70 1 00 - 2 00kW 99%
1.00 2.00KW 5370
234-016 Riva 2 Electric 55 0.50 - 1.00kW 99%

RIVA2 ELECTRIC STONE MANTELS

Product Code	Description	Finish	Overall Width (mm)	Height (mm)	Shelf Depth (mm)	Leg to leg outer (mm)
9002CLWM	Claremont (requires slip set)	Antique White Marble	1555	1143	190	1331
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190	1331
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble	1460	1320	207	1270
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207	1270
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble	1460	1082	200	1277
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200	1277
9003GRWM	Grafton (requires slip set)	Antique White Marble	1415	1165	105	1415
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105	1415
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble	1525	1170	250	1375
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250	1375
9005SAWM	Sandringham (requires slip set)	Antique White Marble	1550	1220	227	1325
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227	1325
SLIP SETS						
934-736	Slip set for Stone Mantel	Antique White Marble	N/A	N/A	N/A	N/A
934-015	Slip set for Stone Mantel	Limestone	N/A	N/A	N/A	N/A
HEARTHS						
934-241	Small Hearth for Stone Mantel	Antique White Marble	1524	53	228	N/A
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228	N/A
934-489	Large Hearth for Stone Mantel	Antique White Marble	1625	53	457	N/A
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457	N/A

Our stone mantels are crafted from high quality, natural material and therefore will contain naturally occurring veining, subtle tonal differences and indeed, small fossils that may be found in the limestone.


E L E C T R I C S T O V E S

MARLBOROUGH ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8560	Small	Matt Black	Logs	1.00 - 2.00kW	99%
E8610	Medium	Matt Black	Logs	1.00 - 2.00kW	99%

Dimensions (mm)

	Α	В	С	D	Weight
Small	410	558	360	280	35kg
Medium	590	583	410	330	48kg




HUNTINGDON 30 ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8503	30	Matt Black	Logs	1.00 - 2.00kW	99%
E8503MB	30	Midnight Blue	Logs	1.00 - 2.00kW	99%
E8503LG	30	Laurel Green	Logs	1.00 - 2.00kW	99%
E8503IV	30	lvory	Logs	1.00 - 2.00kW	99%
615-567	30	Matt Ivory	Logs	1.00 - 2.00kW	99%



	Α	В	С	D	Weight
30	560	592	351	96	71.5kg





STOCKTON ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8573	Small	Matt Black	Logs	1.00 - 2.00kW	99%
E8575	5	Matt Black	Logs	1.00 - 2.00kW	99%
E8617	Medium	Matt Black	Loas	1.00 - 2.00kW	99%



	Α	В	С	D	Weight
Small	422	525	290	50	57kg
Medium	579	618	345	66	82kg
5	481	544	273	64	55kg






CLARENDON ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8517	Small	Matt Black	Logs	1.00 - 2.00kW	99%
E8517MB	Small	Midnight Blue	Logs	1.00 - 2.00kW	99%
E8517LG	Small	Laurel Green	Logs	1.00 - 2.00kW	99%
670-017	Small	Matt Ivory	Logs	1.00 - 2.00kW	99%
E8612	Medium	Matt Black	Logs	1.00 - 2.00kW	99%
E8612MB	Medium	Midnight Blue	Logs	1.00 - 2.00kW	99%
E8612LG	Medium	Laurel Green	Logs	1.00 - 2.00kW	99%


Dimensions (n	nm)			
	Α	В	С	Weight
Small	431	589	342	56kg
Medium	654	652	427	78kg



ASHDON ELECTRIC

Product Code	Model	Colour	Fuel Effect	Heat Output	Efficiency
E8613	Medium	Matt Black	Logs	2.00kW	99%
E8613MB	Medium	Midnight Blue	Logs	2.00kW	99%
E8613LG	Medium	Laurel Green	Logs	2.00kW	99%
E8613IV	Medium	lvory	Logs	2.00kW	99%
670-389	Medium	Matt Ivory	Logs	2.00kW	99%


Dimensions (mm)									
	Α	В	С	D	Weight				
Medium	654	652	427	75	78kg				



STEEL MANHATTAN ELECTRIC

Product Code	Model	Steel Finish	Fuel Effect	Heat Output	Efficiency
E8622AN	Small	Anthracite	Logs	1.00 - 2.00kW	99%
E8622BS	Small	Brushed Stainless Steel	Logs	1.00 - 2.00kW	99%
E8619AN	Medium	Anthracite	Logs	1.00 - 2.00kW	99%
E8619BS	Medium	Brushed Stainless Steel	Logs	1.00 - 2.00kW	99%

Dimensions (mm)									
		` A	В	С	Weight				
	Small	633	540	360	33kg				
	Medium	683	709	425	44kg				













Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG

Tel: 01392 261999 • Fax: 01392 444148 • Export Sales: 00 44 1392 261990 • Email: info@gazco.com

www.gazco.com

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Paper sourced from sustainable forests and printed using vegetable based inks • © All material copyright Gazco Ltd 2012 E & O E • A member of the Stovax group

















To view & download our complete range of brochures, simply scan this code or visit www.gazco.com



Brochure ref: GZELECTRICO412

